

Eco-Design-Regulation EU 2016/2281

Requirements for the documentation
(Appendix 2 / Chapter 5 / Table 15)

Product data			
Unit			xtend 350 A
Type of liquefaction			L
Refrigerant/GWP			R513A/631
	Symbol	Value	Unit
Operating temperature	t	7	°C
Seasonal energy performance ratio	SEPR	5.20	---
Annual energy consumption	Q	29.123	kWh/a
Reduction factor C_{dc} of chillers	C_{dc}	---	---
Power regulation	---	variabel	---
Parameter at full load and reference temperature at assessment point A			
Rated refrigeration capacity	P_A	20.45	kW
Rated power consumption	D_A	7.45	kW
Energy efficiency ratio	$EER_{DC,A}$	2.74	---
Parameter at assessment point B			
Declared cooling capacity	P_B	19.09	kW
Declared power consumption	D_B	5.10	kW
Declared energy efficiency ratio	$EER_{DC,B}$	3.74	---
Parameter at assessment point C			
Declared cooling capacity	P_C	17.72	kW
Declared power consumption	D_C	3.35	kW
Declared energy efficiency ratio	$EER_{DC,C}$	5.28	---
Parameter at assessment point D			
Declared cooling capacity	P_D	16.36	kW
Declared power consumption	D_D	2.76	kW
Declared energy efficiency ratio	$EER_{DC,D}$	5.94	---